

UNITED STATES GOVERNMENT

~~SECRET / STD~~  
memorandum

DATE: 8 Feb 90

REPLY TO:  
ATTN OF: DT-S

SUBJECT: SUBJECT: Project 9001-A (U)

TO: Program Manager - SUN STREAK (U)

1. (S/STD) On 1 February 1990 through 5 February 1990 inclusively three sessions were conducted to determine the current location of a target person identified as [REDACTED] SG1A  
SG1A [REDACTED] was located at one of the following four locations within an actionable period of time:

- a. [REDACTED]
- b. [REDACTED]
- c. [REDACTED]
- d. [REDACTED]

SG1A

2. (S/STD) Remote Viewer 079 perceived the target personality as currently and frequently traveling between Bogota and Girardo, Columbia. The target personality can readily be found at a building identified and described as the "Columbian Medical Society" in Bogota on 3 through 7 February 1990.

(OPS COMMENTS: Based on 079's past reporting on issues of a similar nature, there is about a twenty-percent chance that the reporting is germane. The actionable period of time described by 079 as 3 February 1990 through 7 February 1990 inclusively merely indicates a relative time frame of "near future."

3. (S/STD) Remote Viewer 011 described the current residence of the target personality. Viewer 011 described a "resort or estate" situated in a hilly and isolated area. The surrounding area is decidedly drier and dustier than the location of the target area. As seen from an overhead perspective, the "target complex stands out from the surrounding terrain as a darker geometric pattern." This perspective is conceptually described at TAB A and TAB B.

(OPS COMMENTS: There is a forty to sixty percent probability that 011's description of the target personality's residence is generally accurate. Suggest 011's sketches be compared to available ops data reflected in Para 1a thru 1b to determine the extent of correlation. If affirmative, there is a likelihood the target personality is present at the residence within an actionable period of time.

CLASSIFIED BY: DIA-DT-S

DECLASSIFY BY: OADR

Approved For Release 2000/08/09 : CIA RDP96-04789R00390500011-7

~~SECRET / STD~~  
OPTIONAL FORM NO. 10  
(REV. 1-80)  
GSA FPMR (41 CFR) 101-11.6  
5010-114

~~SECRET//STD~~


4. (S/STD) Remote Viewer 032 described target personality's current residence as a structure of plaster and wood. It is spacious and well-furnished with large spacious rooms that open to the outside of the structure. The surrounding area is described as being comprised of high ground leading to large hills and heavy foliage. The structure appears isolated from any nearby structures. It is located on high ground that drops off sharply into a low area where a running stream is perceived. Armed people were observed in the structure. Viewer 032's conceptual representations of the target structure are at TAB C and TAB D.

(OPS CMTS: As a viewer, 032 is less experienced than 011. Viewer 032 may have been influenced by such concepts as "narcotics/kingpin/residence").

5. (S/STD) COMMENTS:

a. (S/STD) It is doubtful that 079 had any previous knowledge of the structure identified as the "Columbian Medical Society Building." Such phonetics have a tendency to merely jump out during the course of WRV sessions conducted by 079. In the past, such phonetics have proven accurate about twenty percent of the time. Suggest 011's conceptual sketches be compared with available ops data to determine the extent of the correlation between the structure described by 011 and the actual structures identified in Para 1a through 1b inclusively.

SG1J



ENCLOSURES

TAB A THRU TAB D


SKETCHES

Branch Chief

~~SECRET//STD~~


9001-A  
900201  
011  
01

LOW ALTITUDE OVERHEAD VERTICAL VIEW



P 9001-A  
D 900201  
V 011  
S01  
[REDACTED]

SECRET  
9001-A  
900201  
011  
HILLS  
01




OVERHEAD VERTICAL VIEW OF TARGET AREA (8,000'-10,800' AGL)


NOTE: TARGET COMPLEX STANDS OUT FROM SURROUNDING TERRAIN AS A DARK GEOMETRIC SHAPE DUE TO DIFFERENCE IN VEGETATION.

P 9001-A  
D 900201  
V011  
S01  
SECRET

~~SECRET~~

9001-1  
90020  
032  
01-



~~SECRET~~9001-A  
900205  
032  
01~~SECRET~~